Help | Logout | Interrupt

Main Menu | Search Form | Posting Counts | Show S Numbers | Edit S Numbers | Preferences | Cases

Search Results -

Terms	Documents
authentic$ and (rout$ same information) and ((label$ or tag$ or sticker) with memory) and @pd<=19980414	0

Database:

US Patents Full-Text Database
US Pre-Grant Publication Full-Text Database
JPO Abstracts Database
EPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search: L26

Refine Search

Recall Text | Clear

Search History

DATE: Friday, December 27, 2002   Printable Copy   Create Case

Set Name side by side	Query	Hit Count	Set Name result set
	DB=PGPB,JPAB,EPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=YES; OP=OR		
L26	authentic$ and (rout$ same information) and ((label$ or tag$ or sticker) with memory) and @pd<=19980414	0	L26
	DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=OR		
L25	((label$ or sticker or tag$) with memory) and (6157621.pn. or 6112083.pn. or 6105132.pn. or 6028939.pn. or 5982891.pn. or 5949876.pn. or 5917912.pn. or 5915019.pn. or 5910987.pn. or 5892900.pn.)	10	L25
L24	L22 and ((label$ or tag$ or sticker) with memory)	8	L24
L23	L22 and ((label$ or tag$) with memory)	8	L23

considered →

L22	(5835595.pn. or 5758085.pn. or 5717830.pn. or 564000⬤pn. or 5611066.pn. or 5451757.pn. or 5321242.pn. or 4599647.pn.)	8	L22
L21	118 not L20	8	L21
L20	6157621.pn. or 6112083.pn. or 6105132.pn. or 6028939.pn. or 5982891.pn. or 5949876.pn. or 5917912.pn. or 5915019.pn. or 5910987.pn. or 5892900.pn.	10	L20
L19	((label$ or tag$) with memory) and (6157621.pn. or 6112083.pn. or 6105132.pn. or 6028939.pn. or 5982891.pn. or 5949876.pn. or 5917912.pn. or 5915019.pn. or 5910987.pn. or 5892900.pn.)	10	L19
L18	L17 and ((label$ or tag$) with memory)	18	L18
L17	L16 and (encrypt$ or decrypt$ or crypto$ or (public adj key) or (private adj key))	732	L17
L16	authentic$ and (rout$ with information) and @ad<=19980414	1461	L16
L15	authentic$ and (rout$ same information) and @ad<=19980414	2209	L15
L14	L13 and (rout$ same information)	1	L14
L13	6069955.pn.	1	L13

DB=PGPB,JPAB,EPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=YES; OP=OR

L12	(((((var$ or differ$) near2 (length or number$)) with order$) same (match$ or search$)) and (vendor or seller or merchant) and @pd<=19991217	0	L12

DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=OR

L11	L10 and ((705/?)!.CCLS.)	3	L11
L10	(((((var$ or differ$) near2 (length or number$)) with order$) same (match$ or search$)) and (vendor or seller or merchant) and @ad<=19991217	19	L10
L9	(((((var$ or differ$) near2 (length or number$)) with order$) same (match$ or search$)) same (vendor or seller or merchant) and @ad<=19991217	1	L9

DB=PGPB,JPAB,EPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=YES; OP=OR

L8	(((((var$ or differ$) near2 (length or number$)) with order$) same (match$ or search$)) same (vendor or seller or merchant) and @pd<=19991217	0	L8
L7	(((((var$ or differ$) near2 (length or number$)) with order$) same (match$ or search$)) and @pd<=19991217	54	L7

DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=OR

L6	L4 and (((((var$ or differ$) near2 (length or number$)) with order$) same (match$ or search$))	6	L6
L5	L4 and ((((var$ or differ$) near2 (length or number$)) with order$)	26	L5
L4	L1 not l3	26	L4
L3	L1 and ((705/?)!.CCLS.)	3	L3

| L2 | L1 and ((705/2⬤705/27)!.CCLS.) | ⬤ | 0 | L2 |
| L1 | ((((var$ or different) adj (length or word or number$)) with order$) same database) and @ad<=19991216 | | 29 | L1 |

END OF SEARCH HISTORY